The Curious Case of Belgium

By Craig Paardekooper

The following figures are obtained directly from the VAERS database –

| Country | Total Number of Adverse Reports | Deaths | Disabilities | Life Threatening | % of Reports that are Severe |
|-------------------------|------------------------------------|--------|--------------|------------------|------------------------------|
| Belgium | 7530 | 230 | 4815 | 260 | 70.5 |
| Romania | 1763 | 142 | 398 | 501 | 59.0 |
| Finland | 4300 | 127 | 1476 | 500 | 48.9 |
| Sweden | 7587 | 337 | 2668 | 680 | 48.6 |
| Malta | 142 | 32 | 13 | 16 | 43.0 |
| Hungary | 890 | 314 | 36 | 32 | 42.9 |
| Slovakia | 399 | 46 | 46 | 41 | 33.3 |
| Greece | 3413 | 135 | 362 | 504 | 29.3 |
| Ireland | 3971 | 91 | 823 | 219 | 28.5 |
| Denmark | 3447 | 147 | 387 | 295 | 24.0 |
| Portugal | 6861 | 83 | 1314 | 132 | 22.3 |
| Norway | 4213 | 246 | 359 | 286 | 21.1 |
| zech Republic (Czechia) | 3913 | 105 | 262 | 452 | 20.9 |
| Poland | 1509 | 215 | 25 | 63 | 20.1 |
| Netherlands | 9479 | 556 | 835 | 279 | 17.6 |
| Italy | 18715 | 644 | 1496 | 1086 | 17.2 |
| Luxembourg | 405 | 14 | 23 | 27 | 15.8 |
| Croatia | 1341 | 42 | 59 | 106 | 15.4 |
| Spain | 8796 | 336 | 331 | 668 | 15.2 |
| Iceland | 479 | 34 | 11 | 24 | 14.4 |
| Germany | 30109 | 1752 | 458 | 1836 | 13.4 |
| United Kingdom | 101909 | 821 | 9830 | 2443 | 12.8 |
| Switzerland | 4201 | 177 | 160 | 171 | 12.1 |
| France | 29708 | 1532 | 760 | 1293 | 12.1 |
| Lithuania | 672 | 23 | 14 | 26 | 9.4 |
| Estonia | 968 | 57 | 5 | 24 | 8.9 |
| Latvia | 517 | 27 | 4 | 7 | 7.4 |
| Austria | 21302 | 435 | 174 | 258 | 4.1 |

70% of the reports for Belgium are severe, – resulting in either death, disability or in a life threatening event - compared to 12% for the UK – a 5 x difference.


The diagram on the following page shows which countries are having the greatest problems with the vaccine.

Curiously, these very high percentages in Belgium result from very high disability rates following vaccination, rather than a high death rate. The death rates seem similar to other countries, but the disability rate is sky high. This is a major safety signal requiring investigation.

This effect is not confined to one batch/lot. All lots used here are generating extremely high numbers of severe reports. This level of injury would qualify the vaccine as a bio-weapon - testing at this level restricted to specific countries.

| LOT | Total Number of Reports | Death | Disability | Life Threatening | % of Severe Reports |
|--------|----------------------------|-------|------------|------------------|------------------------|
| FH8469 | 105 | 2 | 88 | 1 | 87 |
| ER2659 | 160 | 1 | 126 | 4 | 82 |
| FE2090 | 124 | 1 | 92 | 5 | 79 |
| FE9174 | 101 | | 72 | 5 | 76 |
| FE2625 | 176 | 2 | 124 | 6 | 75 |
| EW6126 | 305 | 8 | 171 | 13 | 63 |
| FC2336 | 125 | 1 | 65 | 10 | 61 |
| EK9788 | 116 | 6 | 60 | 3 | 59 |
| EM0477 | 171 | 25 | 63 | 4 | 54 |

Ratio of severe VAERS to total VAERS per country





Athletes dying in their prime

Recently, a large number of vaccinated athletes have dropped dead during televised matches.

See -

https://www.howbad.info/athletes.pdf

https://www.howbad.info/sportscardiac.pdf

So I decided to look at the "athletic" age range in Belgium – those people aged 18 years to 35 years old.

Here are the results -

General Adverse Reactions

887 reports in total for 18-35 year olds in Belgium

700 reports (79% of all the reports) – the onset of adverse reactions was within 24 hours

804 reports (90% of all the reports) – the onset of adverse reactions was within 48 hours

Disability

738 reports in total for 18-35 year olds in Belgium

604 reports (81% of all the reports) – the onset of disability was within 24 hours

702 reports (95% of all the reports) – the onset of disability was within 48 hours

The stronger a toxin is, the faster it will kill or maim. The % of reports where young people are being maimed within 24 hours after taking the vaccine is very high.

I leave you with three observations

- 1. The high % of reports that are severe (70%)
- 2. The immediacy of onset of that severity (81% within 24 hours)
- 3. The disabling of otherwise young, healthy people of athletic age (18yr-35yr)

Do you still think it is a good idea for a parent to vaccinate their son, their daughter, their child?

They made a mistake

It is very obvious that what ever these young people took was highly toxic. But I believe we were not meant to see this

A 12 % severity rate is less discernible, less obvious and would have remained quietly hidden below the radar of human perception. At a 12% rate, the masses could have been slowly eliminated in bi-annual steps and few would have realised what was afoot.

But a 70% rate is like a blaring siren. For some reason, batches sent to certain countries were too toxic. In 24 hours we saw what would happen in other countries in 24 months. 600 cripples.

We saw what we were not meant to see.