

Reactivation of Herpes Following Covid 19 Vaccinations

By Craig Paardekoooper (September 23rd 2022)



horrific effects of Herpes Zoster on both young and old

Pfizer Already Knew

Back in February 2021, Pfizer already knew that the eruption of Herpes was a common side effect of the Covid-19 vaccines.

In a report dated 28th February 2021, within 90 days of the start of vaccine rollout, Pfizer had records of 42,000 serious adverse reactions to the Pfizer shots, which included 1223 fatalities. See Report here -

<https://howbad.info/pfizerleak.pdf>

BNT162b2

5.3.6 Cumulative Analysis of Post-authorization Adverse Event Reports

Table 1 below presents the main characteristics of the overall cases.

Table 1. General Overview: Selected Characteristics of All Cases Received During the Reporting Interval

Characteristics		Relevant cases (N=42086)
Gender:	Female	29914
	Male	9182
	No Data	2990
Age range (years): 0.01 -107 years Mean = 50.9 years n = 34952	≤ 17	175 ^a
	18-30	4953
	31-50	13886
	51-64	7884
	65-74	3098
	≥ 75	5214
	Unknown	6876
Case outcome:	Recovered/Recovering	19582
	Recovered with sequelae	520
	Not recovered at the time of report	11361
	Fatal	1223
	Unknown	9400

a. in 46 cases reported age was <16-year-old and in 34 cases <12-year-old.

On p21 of this report, we read that 8152 of these cases reported an outbreak of Herpes Zoster. So a whopping 20% of the reported adverse reactions recorded an outbreak of Herpes !!

Other AESIs <i>Search criteria: Herpes viral infections (HLT) (Primary Path) OR PTs Adverse event following immunisation; Inflammation; Manufacturing laboratory analytical testing issue; Manufacturing materials issue; Manufacturing production issue; MERS-CoV test; MERS-CoV test negative; MERS-CoV test positive; Middle East respiratory syndrome; Multiple organ dysfunction syndrome; Occupational exposure to communicable disease; Patient</i>	<ul style="list-style-type: none"> Number of cases: 8152 (19.4% of the total PM dataset), of which 4977 were medically confirmed and 3175 non-medically confirmed; Country of incidence (> 20 occurrences): UK (2715), US (2421), Italy (710), Mexico (223), Portugal (210), Germany (207), France (186), Spain (183), Sweden (133), Denmark (127), Poland (120), Greece (95), Israel (79), Czech Republic (76), Romania (57), Hungary (53), Finland (52), Norway (51), Latvia (49), Austria (47), Croatia (42), Belgium (41), Canada (39), Ireland (34), Serbia (28), Iceland (25), Netherlands (22). The remaining 127 cases were from 21 different countries; Subjects' gender (n=7829): female (5969), male (1860); Subjects' age group (n=7479): Adult (6330), Elderly (1125), Adolescent, Child (9 each), Infant (6);
<p style="text-align: center;">CONFIDENTIAL Page 21</p> <p style="text-align: right;">FDA-CBER-2021-5683-0000074</p>	

These outbreaks occurred within ONE DAY of vaccination. On p22 of the report, Pfizer records that the median length of time between vaccination and the onset of Herpes was 1 day !!

AESIs ^a Category	Post-Marketing Cases Evaluation ^b Total Number of Cases (N=42086)
<i>isolation; Product availability issue; Product distribution issue; Product supply issue; Pyrexia; Quarantine; SARS-CoV-1 test; SARS-CoV-1 test negative; SARS-CoV-1 test positive</i>	<ul style="list-style-type: none"> Number of relevant events: 8241, of which 3674 serious, 4568 non-serious; Most frequently reported relevant PTs (≥6 occurrences) included: Pyrexia (7666), Herpes zoster (259), Inflammation (132), Oral herpes (80), Multiple organ dysfunction syndrome (18), Herpes virus infection (17), Herpes simplex (13), Ophthalmic herpes zoster (10), Herpes ophthalmic and Herpes zoster reactivation (6 each); Relevant event onset latency (n =6836): <u>Range from <24 hours to 61 days, median 1 day;</u> Relevant events outcome: fatal (96), resolved/resolving (5008), resolved with sequelae (84), not resolved (1429) and unknown (1685).

Why is this outbreak occurring?

The Herpes virus is normally kept in check by your immune system. The COVID-19 vaccines appear to suppress the immune system allowing the proliferation and explosion of this virus within the body.

Danger of Immune Deficiency

If COVID-19 vaccines are suppressing the immune system, then there is an obvious danger that vaccinated will become immune deficient – and consequently succumb more readily to a host of viral and bacterial infections such as pneumonia, influenza, and COVID-19.

Since cancers are kept in check by the immune system, any suppression of the immune system will also lead to a rapid proliferation of cancers. Since the lipid nano particles carrying the spike mRNA distribute widely through out the body, cancers would be expected to metastasize and spread system wide also.

Science is catching up

A paper published in August 2022, entitled “Real-world evidence from over one million COVID-19 vaccinations is consistent with the reactivation of the varicella-zoster virus” (see <https://howbad.info/zoster.pdf>), found that the incidence of Herpes Zoster in the vaccinated is **twice as high** as the incidence in the unvaccinated –

Results After matching, each cohort accounted for 1 095 086 patients. For the vaccinated group (Cohort I), 2204 subjects developed HZ within 60 days of COVID-19 vaccination, while among Cohort II, 1223 patients were diagnosed with HZ within 60 days after having visited the clinic for any other reason (i.e. not vaccination). The risk of developing shingles was calculated as 0.20% and 0.11% for cohort I and cohort II, respectively. The difference was statistically highly significant ($P < 0.0001$; log-rank test). The risk ratio and odds ratio were 1.802 (95% confidence interval [CI] = 1.680; 1.932) and 1.804 (95% CI = 1.682; 1.934).

If the incidence is twice as high, then this suggests that the immune system is only half as effective ! The COVID-19 vaccine must cause an immediate suppression of the immune system – rendering the vaccinated far more vulnerable to illnesses that others would simply shrug off.

This effect may be cumulative with each additional dose or booster.

Asking the Question

If you have been vaccinated with the COVID-19 vaccine, please ask yourself if you have noticed a greater susceptibility to infections –

- Do you catch infections more often?
- Do the infections seem to last longer?
- Are the infections more severe?

Government hiding adverse effects

Main stream media and social media have censored hundreds of thousands of personal testimonies of vaccine injury and instead they simply repeated the mantra that the vaccines are safe and effective.

The government and health services, have actively sought to suppress information about adverse effects – health services have gone as far as to remove the license of any doctor who speaks out – and fire all those who choose not to be vaccinated. This makes it hard to find help for vaccine injury.

Seeking Help

Please don't be afraid. The world is waking up to the adverse effects of these vaccines.

A growing body of doctors are choosing to speak out despite the threats to their careers, and are acknowledging the issues. They have put together protocols to help you recover. Ways to help your immune system limp back to health – ways to give it a chance.

See - <https://howbad.info/recovery.html>